

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	(storage with server) same (management with application) same (data with collection with agent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:04
L2	0	(storage with server) same (management with application) same (data with collection with agent) same (independent disparate individual location separate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:05
L3	36	(scan\$4 with directory with structure with (device server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:07
L4	1	(scan\$4 with directory with structure with (device server)) and ((compenent agent) with (collect\$4 gather\$3 obtain \$3 receiv\$3) with (data information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:08
L5	9142	(storage with resource with manag\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:09
L6	551	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan \$4) with (directory file data information statistic \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:10

L7	36	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan \$4) with (directory file data information statistic \$2)) and (agent with (independent disparate separate) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:11
L8	18	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan \$4) with (directory file data information statistic \$2)) and (agent with (independent disparate separate) with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:18
L9	1	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan \$4) with (directory file data information statistic \$2)) and (agent with (independent disparate separate) with interface with (device sever) with (application manag\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:18
L10	6	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan \$4) with (directory file data information statistic \$2 structure)) and (agent with (independent disparate separate) with interface) and (number with (file children folder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:25
L11	6	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan\$4 summar\$7) with (directory file data information statistic\$2 structure)) and (agent with (independent disparate separate) with interface) and (number with (file children folder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:26

L12	5	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan\$4 summar\$7) with (directory file data information statistic\$2 structure)) and (agent with (independent disparate separate) with interface) and (number with (file children folder)) and (agent with different ((file adj system) filesystem) with (server resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:37
L13	0	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan\$4 summar\$7) with (directory file data information statistic\$2 structure)) and (agent with (independent disparate separate) with interface) and (number with (file children folder)) and (agent with different with ((file adj system) filesystem) with (server resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:37
L14	0	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan\$4 summar\$7) with (directory file data information statistic\$2 structure)) and (agent with (independent disparate separate) with interface) and (agent with different with ((file adj system) filesystem) with (server resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:37

L15	0	(storage with resource with manag\$6) and (agent with (collect\$3 gather\$3 obtain\$3 scan\$4 summar\$7) with (directory file data information statistic\$2 structure)) and (agent with different with ((file adj system) filesystem) with (server resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:38
L16	0	(storage with resource with manag\$6) and (agent with different with ((file adj system) filesystem) with (server resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:38
L17	11	(storage with resource with manag\$6) and (agent with (NIFS CIFS))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:39
L19	0	(storage with resource with manag\$6) and (agent with (gather\$3 collect\$3 obtain\$3) with independent with ((file adj system) filesystem) with (filer server device resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:43
L20	0	(storage with resource with manag\$6) and (agent with (gather\$3 collect\$3 obtain\$3) with (independent different) with ((file adj system) filesystem) with (filer server device resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:43
L21	2	(storage with resource with manag\$6) and (agent with (gather\$3 collect\$3 obtain\$3) with (independent different) with ((file adj system) filesystem protocol) with (filer server device resource))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:44

L22	62	"6389427" "6754890" "7275063"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 07:50
L23	1	"20080091739" and (protocol CIFS NFS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:23
L24	5	"6571257"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:31
L25	2	"6571257" and (gui interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:31
L26	1	"6571257" and (gui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:31
L27	2	"6571257" and (user with application with manag \$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:32
L28	1	"6571257" and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:33
L29	0	"20080091739" and (gui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:33

L30	1	"20080091739" and (display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:33
S1	3446	(server with mass with storage with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:42
S2	4	(server with mass with storage with device) and (agent with (gather\$3 collect\$4 sacn\$4) with (file directory) with (system structure layout tree)) and (manag\$5 with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:44
S3	5	(server with mass with storage with device) and (agent with (gather\$3 collect\$4 sacn\$4) with (file directory) with (system structure layout tree))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:47
S4	5	(server with mass with storage with device) and (agent with (gather\$3 collect\$4 sacn\$4) with (file directory) with (system structure layout tree hierarch\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:48
S5	27	(mass with storage with device) and (agent with (gather\$3 collect\$4 sacn\$4) with (file directory) with (system structure layout tree hierarch\$5) with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:49
S6	21	(mass with storage with device) and (agent with (gather\$3 collect\$4 sacn\$4) with (file directory) with (system structure layout tree hierarch\$5) with device) and (manag\$5 with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:49

S7	902	(network with appliance). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:52
S8	2	"7293039" and agent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:53
S9	15	(network with appliance). as. and agent and filer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 23:54
S10	2	"20080162817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:09
S11	8	"2004148479" "2002161855" "2002083120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:11
S12	7	"20040148479" "20020161855" "20020083120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:13
S13	28	(management with server with (storage file directory) with (structure summary) with (storage adj server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:16
S14	49	(management with server with (storage file directory) with (structure summary metadata) with (storage adj server) with (stor\$3 maintain\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:19

S15	16	(management with server with (storage file directory) with (structure summary metadata) with (storage adj server) with (stor\$3 maintain\$3)) and CIFS and NFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:19
S16	2	(management with server with (storage file directory) with (structure summary metadata) with (storage adj server) with (stor\$3 maintain\$3)) and CIFS and NFS and @ad<"20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:21
S17	14	(management with server with (storage file directory) with (structure summary metadata) with (storage adj server) with (stor\$3 maintain\$3)) and @ad<"20040312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:23
S18	2	(management with server with (storage file directory) with (structure summary metadata) with (storage adj server) with (stor\$3 maintain\$3)) and @ad<"20040312" and (CIFS NFS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:23
S19	76	(((((file storage) with server) filer) with stor\$3 with (user adj directory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:31
S20	72	(((((file storage) with server) filer) with stor\$3 with (user adj directory)) and (network NAS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:31
S21	31	(((((file storage) with server) filer) with stor\$3 with (user adj directory)) and (network NAS) and ((maintain\$3 monitor\$3) with (server filer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:32



S22	3	(((file storage) with server) filer) with stor\$3 with (user adj directory)) and (network NAS) and ((maintain\$3 monitor\$3) with (server filer)) and (data adj fabric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:33
S23	7	(((file storage) with server) filer) with stor\$3 with (user adj directory)) and (network NAS) and (application with (maintain \$3 monitor\$3) with (server filer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 00:35

1/30/2009 8:48:24 AM

C:\Documents and Settings\klove\My Documents\EAST\Workspaces\10799861  
\10799861\_4.wsp